JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 339 (1988)

AUTHOR INDEX

Abdali, A., (339)C9
Adeleke, J.A., (339)223
Alfonso, G.D', (339)323
Allison, N.T., (339)1
Alvarez, E., (339)199
Anson, C.E., (339)151
Asao, T., (339)C1
Ast, T., (339)333

Barley, M.H., (339)151
Beck, W., (339)111
Beer, P.D., (339)133
Belluš, D., (339)17
Beringhelli, T., (339)323
Berke, H., (339)103, 297
Boersma, J., (339)7
Booth, B.L., (339)223
Bordoni, S., (339)125
Brandsma, L., (339)7
Breitinger, D.K., (339)23
Brown, R.A., (339)283
Busetto, L., (339)125
Bush, C.D., (339)133

Carlton, L., (339)339
Castel, A., (339)51
Chaudhry, S.C., (339)241
Chizhevsky, I.T., (339)165
Ciani, G., (339)323
Cordes, A.W., (339)1
Coville, N.J., (339)339
Cuvigny, T., (339)199

D'Alfonso, G., (339)323
Dreczewski, B., (339)41
Drewello, T., (339)333

Elissondo, B., (339)267
Endud, S., (339)283

Fedin, E.I., (339)165
Ferede, R., (339)1
Filippou, A.C., (339)309
Fischer, E.O., (339)309
Franck-Neumann, M., (339)C9
Frank, P., (339)345
Freni, M., (339)323
Friend, J., (339)283

Guhl, D., (339)213
Guyot, D., (339)51

Hamor, T.A., (339)133
Handlíř, K., (339)61
Harder, S., (339)7
Hatano, M., (339)C1
Herman, A., (339)41
Hernandez, E., (339)213
Hill, J.M., (339)283
Hoberg, H., (339)213
Holeček, J., (339)61
Housecroft, C.E., (339)139
Howard, P.W., (339)C5

Jarauta, M.P., (339)181
Johnson, B.F.G., (339)151
Johnston, P., (339)339
Julia, M., (339)199

Kaim, W., (339)253
Kanters, J.A., (339)7
Kapoor, P.N., (339)97
Kaufmann, D., (339)33
Klingert, B., (339)17
Knoch, F., (339)345
Ko, Y.H., (339)51
Kolobova, N.E., (339)165
Krüger, C., (339)159
Kummer, D., (339)241
Kundel, P., (339)103, 297

Lang, R.W., (339)17
Lay, Jr. J., (339)1
Lazzaroni, R., (339)357
Lebrilla, C.B., (339)333
Leites, L.A., (339)165
Lewis, J., (339)151
Lindner, E., (339)193
Link, M., (339)69
Linoh, H., (339)69
Lyčka, A., (339)61

Ma, H., (339)277
Magera, M.J., (339)231
Mercykutty, P.C., (339)97
Meyer, S., (339)193
Miller, N.E., (339)231
Mingos, D.M.P., (339)367
Mink, J., (339)23
Moret, M., (339)323
Morita, N., (339)C1
Mugnier, Y., (339)89

Nádvorník, M., (339)61
Nagel, U., (339)111
Nakagawa, R., (339)259
Neufert, R., (339)23
Noble, M., (339)1

Okuda, J., (339)309
Oro, L.A., (339)181
Owen, S.M., (339)139

Pereyre, M., (339)267
Petrovskii, P.V., (339)165
Pinillos, M.T., (339)181
Pucci, S., (339)357

Quintard, J.-P., (339)267

Raffaelli, A., (339)357
Rastova, N.V., (339)165
Reeb, P., (339)89
Rihs, G., (339)17
Rivière, P., (339)51
Röper, M., (339)159

Sadowski, M., (339)81
Satgé, J., (339)51
Sato, Y., (339)259
Schacht, W., (339)33
Scheffler, K., (339)81
Schomburg, D., (339)69
Schuler, P., (339)81
Schwarz, H., (339)333
Sedrati, M., (339)C9
Sellmann, D., (339)345
Settambolo, R., (339)357

Shi, L., (339)277
Shitara, K., (339)259
Sironi, A., (339)323
Sotokawa, H., (339)C1
Stegmann, H.B., (339)81
Steil, P., (339)111
Stephenson, G.R., (339)C5
Struchkov, Yu.T., (339)165

Tacke, R., (339)69
Tajiri, A., (339)C1
Taylor, S.C., (339)C5
Teleb, S.M., (339)61
Tiripicchio, A., (339)181
Tiripicchio-Camellini, M., (339)181

Verlhac, J.-B., (339)267
Vinogradova, L.E., (339)165
Vitulli, G., (339)357

Whiteley, M.W., (339)283
Wojnowski, W., (339)41

Yanovsky, A.I., (339)165
Ye, Z., (339)277
Yu, Y., (339)277

Zanotti, V., (339)125
Zhenyang, L., (339)367

JOURNAL OF ORGANOMETALLIC CHEMISTRY, Vol. 339 (1988)

SUBJECT INDEX

Aluminium

1,4-Bis(trimethylsilyl)-1,3-butadiene anion, trapping by double ate-complex formation with AlR_3 of (W. Kaim), (339) 253

Boron

Cluster compounds with cylindrical topologies, theoretical analysis of (L. Zhenyang, D.M.P. Mingos), (339) 367

Dihydrobenzoboretes, synthesis of (W. Schacht, D. Kaufman), (339) 33

2-Hydroxy-2-(dimethylaminomethyl)-1,1,4,4-tetramethyl-1,4-diazonia-2,5-diboratacyclohexane, chemistry of (M.J. Magera, N.E. Miller), (339) 231

Chromium

1,2-Bis(di-*p*-tolylphosphino)ethane-group 6 metal carbonyls, preparation and vibrational spectra of (P.N. Kapoor, P. Mercykutty), (339) 97

Cobalt

Acetyliodocarbonylcobaltate, crystal structure of (M. Röper, C. Krüger), (339) 159

Doubly charged sandwich compounds in the gas phase, charge separation (coulomb explosion) processes of; evidence for junction of two C_5H_5 units (T. Drewello, C.B. Lebrilla, H. Schwarz, T. Ast), (339) 333

Gallium

Organo- and organohalogeno-hydrogermanes, 1,4-addition to 3,5-di-t-butylorthoquinone (P. Rivière, A. Castel, J. Satgé, D. Guyot, Y.H. Ko), (339) 51

Germanium

Germanium- and nitrogen-containing heterocyclic compounds, synthesis of (K. Shitara, Y. Sato, R. Nakagawa), (339) 259

Iridium

Ether-phosphane-iridium complexes, synthesis and behaviour towards hydrogen of (E. Lindner, S. Meyer), (339) 193

Iron

$([\eta\text{-}C_5H_5)(CO)_2FeC(S)SMLn]$ (MLn = $Fe(\eta\text{-}C_5H_5)(CO)_2$, $Re(CO)_5$), reactions with organic electrophiles of (L. Busetto, S. Bordoni, V. Zanotti), (339) 125

$[(\eta^5\text{-}C_5H_4Me)Fe(CO)(L)I]$ complexes, ^{13}C NMR spectra of (L. Carlton, P. Johnston, N.J. Coville), (339) 339

(1*Z*,3*Z*)-1,4-Dibromobutadiene, (1*Z*,3*Z*)-1-bromo-4-lithiobutadiene and (1*Z*, 3*Z*)-1,4-dilithiobutadiene, synthesis of; structure of $(1Z,3Z)\text{-}(\eta^5\text{-}C_5H_5)Fe(CO)_2CH{=}CHCH{=}CHBr$ (R. Ferede, M. Noble, A.W. Cordes, N.T. Allison, J. Lay), (339) 1

Dienetricarbonyliron complexes, Friedel–Crafts chemistry of, acetylation of 1-silylated and 1,4-disubstituted dienes (M. Franck-Neumann, M. Sedrati, A. Abdali), (339) C9

Doubly charged sandwich compounds in the gas phase, charge separation (coulomb explosion) processes of; evidence for junction of two C_5H_5 units (T. Drewello, C.B. Lebrilla, H. Schwarz, T. Ast), (339) 333

Macrocyclic thioether synthesis and monoalkylation of dithioles with $[Fe^{II}(CO)_2]$ fragments as templates; X-ray structure of dibenzo-18-crown-S6 (D. Sellmann, P. Frank, F. Knoch), (339) 345

6-Methoxycyclohexadienyliron complexes, access to synthetic equivalents of cyclohexadiene dications (P.W. Howard, G.R. Stephenson, S.C. Taylor), (339) C5

Octakis(1-lithio-2-methoxybenzene) · *N,N,N′,N′*-tetramethylethylenediamine, crystal structure of (S. Harder, J. Boersma, L. Brandsma, J.A. Kanters), (339) 7

1,1′-(1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diyldicarbonyl)ferrocene dihydrate, crystal structure of (P.D. Beer, C.D. Bush, T.A. Hamor), (339) 133

Tricarbonyl(2,4-cycloheptadienonium)iron tetrafluoroborate, synthesis and absolute configuration of (N. Morita, T. Asao, H. Sotokawa, M. Hatano, A. Tajiri), (339) C1

Lithium

Aminomethyltributyltin compounds, formation from stannylation of immonium salts with tributylstannylmagnesium chloride of; regiospecific route to β-aminoalcohols with (B. Elissondo, J.-B. Verlhac, J.-P. Quintard, M. Pereyre), (339) 267

(1*Z*,3*Z*)-1,4-Dibromobutadiene, (1*Z*,3*Z*)-1-bromo-4-lithiobutadiene and (1*Z*, 3*Z*)-1,4-dilithiobutadiene, synthesis of; structure of (1*Z*, 3*Z*)-(η^5-C_5H_5)Fe(CO)$_2$CH=CHCH=CHBr (R. Ferede, M. Noble, A.W. Cordes, N.T. Allison, J. Lay), (339) 1

Octakis(1-lithio-2-methoxybenzene) · *N,N,N′,N′*-tetramethylethylenediamine, crystal structure of (S. Harder, J. Boersma, L. Brandsma, J.A. Kanters), (339) 7

Magnesium

Aminomethyltributyltin compounds, formation from stannylation of immonium salts with tributylstannylmagnesium chloride of; regiospecific route to β-aminoalcohols with (B. Elissondo, J.-B. Verlhac, J.-P. Quintard, M. Pereyre), (339) 267

Mercury

Tetrakis(methylmercurio)methane, $C(HgCH_3)_4$, and tetrakis(amminemercurio)methane cation, $[C(HgNH_3)_4]^{4+}$, isoelectronic species, vibrational spectra and force fields of (R. Neufert, D.K. Breitinger, J. Mink), (339) 23

Metallocenes

Doubly charged sandwich compounds in the gas phase, charge separation (coulomb explosion) processes of; evidence for junction of two C_5H_5 units (T. Drewello, C.B. Lebrilla, H. Schwarz, T. Ast), (339) 333

1,1′-(1,4,10,13-Tetraoxa-7,16-diazacyclooctadecane-7,16-diyldicarbonyl)ferrocene dihydrate, crystal structure of (P.D. Beer, C.D. Bush, T.A. Hamor), (339) 133

Molybdenum

1,2-Bis(di-*p*-tolylphosphino)ethane-group 6 metal carbonyls, preparation and vibrational spectra of (P.N. Kapoor, P. Mercykutty), (339) 97

η^3-Cycloheptatrienyl-molybdenum and -tungsten complexes with bisphosphine or diamine ligands, spectroscopic investigation of structure and fluxionality of; synthesis of $[WI(CO)_2\{Ph_2P(CH_2)_nPPh\}\{\eta^3\text{-}C_9H_7\text{-}(CN)_4\}]$ ($n = 1$ or 2) (R.A. Brown, S. Endud, J. Friend, J.M. Hill, M.W. Whiteley), (339) 283

Nickel

Doubly charged sandwich compounds in the gas phase, charge separation (coulomb explosion) processes of; evidence for junction of two C_5H_5 units (T. Drewello, C.B. Lebrilla, H. Schwarz, T. Ast), (339) 333

Enolates derived from diethyl malonate and ethyl cyanoacetate, allylation of (E, Alvarez, T. Cuvigny, M. Julia), (339) 199

Nickel(0) induced and catalysed CC coupling of styrene with α,ω-diisocyanates (H. Hoberg, E. Hernandez, D. Guhl), (339) 213

Osmium

Design of a thin layer, infrared-transparent electrochemical cell and its use in the study of cluster species (M.H. Barley, C.E. Anson, B.F.G. Johnson, J. Lewis), (339) 151

$Os_3(CO)_8(C_2Ph_2)_2$, electronic structure of; deformation of a trimetal framework by acetylene ligands (C.E. Housecroft, S.M. Owen), (339) 139

Palladium

Trimethoxysilylpropylcyclopentadiene, Diels–Alder reactions of; synthesis of a silica-supported 4,5-dicyanonorbornene palladium complex (J.A. Adeleke, B.L. Booth), (339) 223

Phosphorus

1,2-Bis(di-*p*-tolylphosphino)ethane-group 6 metal carbonyls, preparation and vibrational spectra of (P.N. Kapoor, P. Mercykutty), (339) 97

[(η^5-C_5H_4Me)Fe(CO)(L)I] complexes, ^{13}C NMR spectra of (L. Carlton, P. Johnston, N.J. Coville), (339) 339

η^3-Cycloheptatrienyl-molybdenum and -tungsten complexes with bisphosphine or diamine ligands, spectroscopic investigation of structure and fluxionality of; synthesis of [$WI(CO)_2\{Ph_2P(CH_2)_nPPh\}\{\eta^3$-$C_9H_7$-$(CN_4]$ ($n = 1$ or 2) (R.A. Brown, S. Endud, J. Friend, J.M. Hill, M.W. Whiteley), (339) 283

Ether-phosphane-iridium complexes, synthesis and behaviour towards hydrogen of (E. Lindner, S. Meyer), (339) 193

Hydroxyallylolefinrhodium cationic complexes with intramolecular O–H⋯Rh bonds; formation of {[$CpRh(\eta^{2,3}$-C_7H_6-3-R-3-Cr^1⋯$OH)]_2$-F_2POO} + PF_6^- dimers (I.T. Chizhevsky, N.V. Rastova, N.E. Kolobova, P.V. Petrovskii, E.I. Fedin, L.E. Vinogradova, L.A. Leites, A.I. Yanovsky, Yu. T. Struchkov), (339) 165

Mono-, bis- and tris-trimethylphosphane-substituted diethylaminocarbyne-tungsten complexes (A.C. Filippou, E.O. Fischer, J. Okuda), (339) 309

Nickel (0) induced and catalysed CC coupling of styrene with α,ω-diisocyanates (H. Hoberg, E. Hernandez, D. Guhl), (339) 213

Tungsten (0)–carbon and tungsten (0)–hydrogen bonds, insertion reactions with CO, CO_2 or activated acetylenes of (P. Kundel, H. Berke), (339) 297

Platinum

Cluster compounds with cylindrical topologies, theoretical analysis of (L. Zhenyang, D.M.P. Mingos), (339) 367

Rhenium

[(η-c_5H_5)$(CO)_2$FeC(S)SMLn] (MLn = Fe(η-C_5H_5)$(CO)_2$, $Re(CO)_5$), reactions with organic electrophiles of (L. Busetto, S. Bordoni, V. Zanotti), (339) 125

Hydridocarbonylrhenium clusters, reactions with unsaturated organic molecules of; crystal structure of [NEt_4][$Re_3(\mu$-$H)_3(\eta$-$OCHMe_2)$-$(CO)_{10}$] (T. Beringhelli, G. d'Alfonso, M. Freni, G. Ciani, M. Moret, A. Sironi), (339) 323

Pentacarbonyl(isocyanido)rhenium(I) cationic complexes, properties and reactions with nucleophiles of (P. Steil, U. Nagel, W. Beck), (339) 111

Rhodium

Cluster compounds with cylindrical topologies, theoretical analysis of (L. Zhenyang, D.M.P. Mingos), (339) 367

Hydroxyallylolefin rhodium cationic complexes with intramolecular O–H⋯Rh bonds; formation of {[$CpRh(\eta^{2,3}$-C_7H_6-3-R-2-CR^1⋯$OH)]_2F_2POO\}^+PF_6^-$ dimers (I.T. Chizhevsky, N.V. Rastova, N.E. Kolobova, P.V. Petrovskii, E.I. Fedin, L.E. Vinogradova, L.A. Leites, A.I. Yanovsky, Yu. T. Struchkov), (339) 165

Rhodium-catalysed formation of (*E*)- and (*Z*)-β-deuterostyrene and β,β-dideuterostyrene via selective β-hydride elimination from the branched alkylrhodium intermediate (R. Lazzaroni, R. Settambolo, A. Raffaelli, S. Pucci, G. Vitulli), (339) 357

Thiophosphinito-bridged rhodium complexes, preparation and properties of; crystal structure of [$Rh_2(\mu$-$SPPh_2)_2(COD)_2$] (M.T. Pinillos, M.P. Jarauta, L.A. Oro, A. Tiripicchio, M. Tiripicchio-Camellini), (339) 181

Silicon

1,4-Bis(trimethylsilyl)-1,3-butadiyne anion, trapping by double ate-complex formation with AlR_3 of (W. Kaim), (339) 253

Chlorotrineophylstannane, chlorotris(dimethylphenylsilyl)methylstannane, trineophyl (1,2,4-triazol-1-yl)stannane hemihydrate and 2,5-dimethyl-2,5-diphenylhexane, molecular structures of (D. Schomburg, M. Link, H. Linoh, R. Tacke), (339) 69

Dienetricarbonyliron complexes, Friedel–Crafts chemistry of, acetylation of 1-silylated and 1,4-disubstituted dienes (M. Franck-Neumann, M. Sedrati, A. Abdali), (339) C9

Silicon–sulphur catenates, σ-bond conjugation in (A. Herman, B. Dreczewski, W. Wojnowski), (339) 41

Trimethoxysilylpropylcyclopentadiene, Diels–Alder reactions of; synthesis of a silica-supported 4,5-dicyanonorbornene palladium complex (J.A. Adeleke, B.L. Booth), (339) 223

Trimethylhalosilane compounds of 1,1,3,3-tetramethyl-guanidine and 2-trimethylsilyl-1,1,3,3-tetramethylguanidine, nature of; preparation and characterisation of mono- and bis-(2-trimethylsilyl)-1,1,3,3-tetramethylguanidium halides (S.C. Chaudhry, D. Kummer), (339) 241

Sulphur

[(η-C_5H_5)$(CO)_2$FeC(S)SMLn] (MLn = Fe(η-C_5H_5) $(CO)_2$, $Re(CO)_5$), reactions with organic electrophiles of (L. Busetto, S. Bordoni, V. Zanotti), (339) 125

Macrocylic thioether synthesis and monoalkylation of dithioles with [$Fe^{II}(CO)_2$] fragments as templates; X-ray structure of dibenzo-18-crown-S6 (D. Sellmann, P. Frank, F. Knoch), (339) 345

Silicon–sulphur catenates, σ-bond conjugation in (A. Herman, B. Dreczewski, W. Wojonowski), (339) 41

Thiophosphinito-bridged rhodium complexes, preparation and properties of; crystal structure of [$Rh_2(\mu$-$SPPh_2)_2(COD)_2$] (M.T. Pinillos, M.P. Jarauta, L.A. Oro, A. Tiripicchio, M. Tiripicchio-Camellini), (339) 181

Tin

Aminomethyltributyltin compounds, formation from stannylation of immonium salts with tributylstannylmagnesium chloride of; regiospecific route to β-aminoalcohols with (B. Elissondo, J.-B. Verlhac, J.-P. Quintard, M. Pereyre), (339) 267

Chlorotrineophylstannane, chlorotris(dimethylphenylsilyl)methylstannane, trineophyl(1,2,4-triazol-1-yl)stannane hemihydrate and 2,5-dimethyl-2,5-diphenylhexane, molecular structures of (D. Schomburg, M. Link, H. Linoh, R. Tacke), (339) 69

Divinyltin(IV) compounds, ^{13}C and ^{119}Sn NMR spectra of (J. Holeček, K. Handlíř, M. Nádvorník, S.M. Teleb, A. Lyčka), (339) 61

Paramagnetic tin complexes EPR and ENDOR investigations of isomerisation at the tin atom of (H.B. Stegmann, M. Sadowski, P. Schuler, K. Scheffler), (339) 81

Tungsten

1,2-Bis(di-*p*-tolylphosphino)ethane-group 6 metal carbonyls, preparation and vibrational spectra of (P.N. Kapoor, P. Mercykutty), (339) 97

η^3-Cycloheptatrienyl-molybdenum and -tungsten complexes with bisphosphine or diamine ligands, spectroscopic investigation of structure and fluxionality of; synthesis of [$WI(CO)_2\{Ph_2P(CH_2)_nPPh\}\{\eta^3$-$C_9H_7$-$(CN)_4\}$] ($n = 1$ or 2) (R.A. Brown, S. Endud, J. Friend, J.M. Hill, M.W. Whiteley), (339) 283

Methoxide-tungsten (0) complex, reactions of (P. Kundel, H. Berke), (339) 103

Mono-, bis- and tris-trimethylphosphane-substituted diethylaminocarbyne-tungsten complexes (A.C. Filippou, E.O. Fischer, J. Okuda), (339) 309

Tungsten (0)–carbon and tungsten (0)–hydrogen bonds, insertion reactions with CO, CO_2 or activated acetylenes of (P. Kundel, H. Berke), (339) 297

Vanadium

Dichloro(5,10,15,20-tetra-*p*-tolylporphyrinato)-vanadium(IV), electroreduction of (P. Reeb, Y., Mugnier), (339) 89

Ytterbium

(Dicyclopentadienyl)(acetylacetonato)ytterbium, $Yb(\eta^5$-$C_5H_5)_2 \cdot (CH_3COCHCOCH_3)$, crystal and molecular structure of (L. Shi, H. Ma, Y. Yu, Z. Ye), (339) 277

Zinc

(1,1-Dichloro-2,2,2-trifluoroethylzinc chloride) · 2(dimethylformamide), crystal structure of (D. Belluš, B. Klingert, R.W. Lang, G. Rihs), (339) 17